



# Remote Update Intel® FPGA IP User Guide

Updated for Intel® Quartus® Prime Design Suite: **18.0**



[Subscribe](#)

[Send Feedback](#)

**UG-31005 | 2020.02.11**

Latest document on the web: [PDF](#) | [HTML](#)



## Contents

---

<b>1. Remote Update Intel® FPGA IP User Guide.....</b>	<b>3</b>
1.1. Avalon®-MM in Remote Update Intel FPGA IP Core.....	4
1.2. Intel Arria 10 and Intel Cyclone® 10 GX Devices.....	5
1.2.1. Remote System Configuration Mode.....	5
1.2.2. Remote System Configuration Components.....	8
1.2.3. Parameter Settings.....	9
1.2.4. Ports.....	9
1.2.5. Parameters.....	11
1.2.6. Avalon-MM Interface.....	12
1.2.7. Enabling Remote System Upgrade Circuitry.....	14
1.2.8. Generating Initial RSU Image.....	15
1.3. Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices.....	16
1.3.1. Remote System Configuration Mode.....	16
1.3.2. Remote System Configuration Components.....	16
1.3.3. Parameter Settings.....	17
1.3.4. Ports.....	18
1.3.5. Parameters.....	21
1.3.6. Avalon-MM Interface .....	22
1.3.7. Enabling Remote System Upgrade Circuitry.....	24
1.4. Cyclone IV and Intel Cyclone 10 LP Devices.....	25
1.4.1. Remote System Configuration Mode.....	25
1.4.2. Remote System Configuration Components.....	25
1.4.3. Parameter Settings.....	27
1.4.4. Ports.....	27
1.4.5. Parameters.....	30
1.4.6. Remote Update Operation.....	31
1.4.7. Avalon-MM Interface .....	33
1.4.8. Enabling Remote System Upgrade Circuitry.....	37
1.5. Flash Memory Programming Files.....	37
1.6. Design Examples.....	38
1.6.1. Intel Arria 10 Remote Update Design Example.....	38
1.6.2. Cyclone V Remote Update Design Example.....	39
1.7. Remote Update Intel FPGA IP User Guide Archives.....	40
1.8. Document Revision History for the Remote Update Intel FPGA IP User Guide.....	41


## 1. Remote Update Intel® FPGA IP User Guide

The Remote Update Intel® FPGA IP core implements a device reconfiguration using dedicated remote system upgrade circuitry available in supported devices. Remote system upgrade helps you deliver feature enhancements and bug fixes without recalling your product, reduces time-to-market, and extends product life. The Remote Update Intel FPGA IP core commands the configuration circuitry to start a reconfiguration cycle.

The dedicated circuitry performs error detection during and after the configuration process. When the dedicated circuitry detects errors, the circuitry facilitates system recovery by reverting back to a safe, default factory configuration image and then provides error status information.

The following figures shows a functional diagram for a typical remote system upgrade process.


**Figure 1. Typical Remote System Upgrade Process**



**Note:** Intel recommends that you use the following Remote Update Intel FPGA IP core input clock ( $f_{MAX}$ ) values:

- 10 MHz—for Arria® II and Stratix® IV devices
- 20 MHz—for other supported devices

**Figure 2. High-Level Block Diagram of Remote System Upgrade**



**Note:** The remote system upgrade feature support for each configuration scheme varies between device family. For more information about the configuration scheme and the remote system upgrade feature, please refer to the configuration chapter of the respective device family handbook.

**Related Information**

- [Remote Update Intel FPGA IP Core Knowledge Base](#)
- [Configuration Support Center](#)
- [Introduction to Intel FPGA IP Cores](#)  
Provides general information about all Intel FPGA IP cores, including parameterizing, generating, upgrading, and simulating IP cores.
- [Creating Version-Independent IP and Qsys Simulation Scripts](#)  
Create simulation scripts that do not require manual updates for software or IP version upgrades.
- [Project Management Best Practices](#)  
Guidelines for efficient management and portability of your project and IP files.
- [Remote Update Intel FPGA IP User Guide Archives](#) on page 40  
Provides a list of user guides for previous versions of the Remote Update Intel FPGA IP core.

**1.1. Avalon®-MM in Remote Update Intel FPGA IP Core**


The Avalon®-MM interface is supported in the Remote Update Intel FPGA IP core. You can only use the IP core either with or without Avalon-MM interface. You can instantiate the Avalon-MM Interface by turning on the **Add support for Avalon Interface** option in Remote Update Intel FPGA IP parameter editor.

**Note:** The Avalon-MM support for Remote Update Intel FPGA IP core is available in Intel Quartus® Prime software version 15.0 and onwards.



**Figure 3. Remote Update Intel FPGA IP Core Implementation with and without Avalon-MM Interface**

Figure shows the Avalon Remote update support architecture which consists of 2 components; Remote Intel FPGA IP core and Avalon remote update controller. If Avalon interface is enabled, the conduit interfaces of Remote Update Intel FPGA IP core will connect to conduit interface of the controller.




## 1.2. Intel Arria 10 and Intel Cyclone® 10 GX Devices

### 1.2.1. Remote System Configuration Mode

Remote configuration supports “Direct to application” (DTA) and “Application to Application” update. Remote configuration only supports a 4-byte address scheme so there is no support for devices with densities smaller than 128 Mbit.

**Figure 4. Transitions Between Factory and Application Configurations in Remote Update Mode**



The CRC check on the application image is done taking only image data into consideration. Dummy bytes in programming files are not taken into account during CRC checks.

When you use low-voltage quad-serial configuration (EPCQ-L) devices, the remote update mode allows a configuration space to start at any flash sector boundary. This capability allows a maximum of 512 pages in the EPCQ-L256 device and 1024 pages in the EPCQ-L512 device, in which the minimum size of each page is 512 kilobits (Kb). Additionally, the remote update mode features an optional user watchdog timer that can detect functional errors in an application configuration.

**Note:** When error occurs, the AS controller will load the same application configuration image for three times before reverting to factory configuration image. By that time, the total time taken exceeds 100ms and violates the PCIe boot-up time when using CvP configuration mode. If your design is sensitive to the PCIe boot-up requirement, Intel recommends that you do not use the direct-to-application feature.

**Note:** Intel recommends that you set a fixed start address and never update the start address during user mode. You should only overwrite an existing application configuration image when you have a new application image. This is to avoid the factory configuration image to be erased unintentionally every time you update the start address.



### 1.2.1.1. Remote System Upgrade State Machine

After power-up and exit POR, the remote system upgrade registers are reset to 0 and the factory or application configuration image is loaded based on the start address stored at 0x00 to 0x1F in the configuration device or QSPI flash. The Remote Update Intel FPGA IP core enables you to perform the following remote update functions once the factory or an application image is loaded successfully:

- Switch from factory image to application image
- In DTA mode, switch from initial application image to others application image

The configuration mode (AnF) bit is by default set to 0 in the DTA mode, the AnF bit cannot be used to indicate the type (such as factory or application image) of image loaded into the FPGA. In the DTA mode, the watchdog timer is disabled by default. You cannot enable the watchdog timer in the initial or first application image loaded upon powering up the device. You can enable the watchdog timer feature when you perform remote update from the initial application image to other application image.

#### 1.2.1.1.1. Switching from Factory to Application Image or from Initial Application Image to Other Application Image

Follow these steps to switch from factory to application image or from initial application image to other application image:

1. Write the AnF bit to 1 via RU\_RECONFIG register.
2. Write the start address of the application image to be loaded via the RU\_PAGE\_SELECT register.
3. Enable the watchdog timer settings:
  - a. Write the timeout value to RU\_WATCHDOG\_TIMEOUT register.
  - b. Enable watchdog timeout via RU\_WATCHDOG\_ENABLE register.
4. Writes RU\_RECONFIG to "1" to trigger reconfiguration to application image. After successful reconfiguration, the system stays in the application configuration. If error occurs during reconfiguration, the RSU state machine falls back to the factory image.
5. Optional step. Read the configuration status via the RU\_RECONFIG\_TRIGGER\_CONDITIONS register.
6. Write a falling edge signal to reset the watchdog timer.
7. Repeat steps 1 to 6 to perform remote update to other application image.

*Note:* It is optional to instantiate the Remote Update Intel FPGA IP core in the application image if you do not need to update the application image in user mode. Without this IP core instantiated in the application image, the device is still able to revert back to factory image if there is an error in loading the application image.



## 1.2.2. Remote System Configuration Components

**Table 1. Remote System Configuration Components in Intel Arria 10 and Intel Cyclone® 10 GX Devices**

Components	Details
Page mode feature	The dedicated 32-bit start address register PGM[ 31 . . 0 ] holds the start address.
Factory configuration	Factory configuration can be set as the default configuration setup depending on the address pointer set. The factory configuration loads into the device upon power-up. If a system encounters an error while loading application configuration data or if the device reconfigures due to nCONFIG assertion, the device loads the factory configuration. The remote system configuration register determines the reason for factory configuration. Based on this information, the factory configuration determines which application configuration to load.
Application configuration	Application configuration can be the default configuration setup depending on the address pointer set. The application configuration loads into the device upon power-up. The application configuration is the configuration data from a remote source and the data is stored in different locations or pages of the memory storage device, excluding the factory page.
Watchdog timer	A watchdog timer is a circuit that determines the functionality of another mechanism. The watchdog timer functions like a time delay relay that remains in the reset state while an application runs properly. Intel Arria 10 and Intel Cyclone® 10 GX devices are equipped with a built-in watchdog timer for remote system configuration to prevent a faulty application configuration from indefinitely stalling the device. The timer is a 29-bit counter, but you use only the upper 12 bits (left-most or most-significant bits) to set the value for the watchdog timer. The timer begins counting after the device goes into user mode. To ensure the application configuration is valid, you must continuously reset the watchdog <code>reset_timer</code> within a specific duration during user mode operation. If the application configuration does not reset the user watchdog timer before time expires, the dedicated circuitry reconfigures the device with the factory configuration and resets the user watchdog timer.
Remote update sub-block	The remote update sub-block manages the remote configuration feature. A remote configuration state machine controls this sub-block. This sub-block generates the control signals required to control the various configuration registers.
Remote configuration registers	The remote configuration registers keep track of page addresses and the cause of configuration errors. You can control both the update and shift registers. The status and control registers are controlled by internal logic, but are read via the shift register. The control register is 38-bits wide. For details about configuration registers, refer to the <i>Configuration, Design Security, and Remote System Upgrades</i> chapter in the <i>Intel Arria 10 Core Fabric and General Purpose I/Os Handbook</i> or the <i>Intel Cyclone 10 GX Core Fabric and General Purpose I/Os Handbook</i> .

### Related Information

- [Intel Arria 10 Core Fabric and General Purpose I/Os Handbook](#)  
Provides more information about configuration registers of the Intel Arria 10 devices.
- [Intel Cyclone 10 GX Core Fabric and General Purpose I/Os Handbook](#)  
Provides more information about configuration registers of the Intel Cyclone 10 GX devices.





### 1.2.3. Parameter Settings

**Table 2. Remote Update Intel FPGA IP Core Parameters for Intel Arria 10 and Intel Cyclone 10 GX Devices**


GUI Name	Values	Description
Which operation mode will you be using?	REMOTE	Specifies the configuration mode of the Remote Update Intel FPGA IP core.
Which configuration device will you be using?	EPCQ-L device	Choose the configuration device you are using.
Add support for writing configuration parameters	—	Enable this if you need to write configuration parameters.
Add support for Avalon Interface	—	Enable this if you are using Avalon interface.
Enable reconfig POF checking	—	Not available as this option is handled by the FPGA AS controller instead of the Remote Update Intel FPGA IP core. The same application image is loaded for three times before reverting to factory application image, to ensure no unexpected system failure occurred.

### 1.2.4. Ports

**Table 3. Remote Update Intel FPGA IP Core Ports for Intel Arria 10 and Intel Cyclone 10 GX Devices**

Name	Port	Required?	Description
read_param	Input	No	Read signal for the parameter specified in <code>param[]</code> input port and fed to <code>data_out[]</code> output port. Signal indicating the parameter specified on the <code>param[]</code> port should be read. The number of bits set on <code>data_out[]</code> depends on the parameter type. The signal is sampled at the rising clock edge. Assert the signal for only one clock cycle to prevent the parameter from being read again in a subsequent clock cycle. The busy signal is activated as soon as <code>read_param</code> is read as active. While the parameter is being read, the busy signal remains asserted, and <code>data_out[]</code> has invalid data. When the busy signal is deactivated and <code>data_out[]</code> has a valid data, another parameter can be read.
write_param	Input	No	Write signal for parameter specified in <code>param[]</code> and with value specified in <code>data_in[]</code> . Signal indicating parameter specified with <code>param[]</code> should be written into remote update block with the value specified in <code>data_in[]</code> . The number of bits read from <code>data_in[]</code> depends on the parameter type. The signal is sampled at the rising clock edge. The signal should be asserted for only one clock cycle to prevent the parameter from being rewritten on a subsequent clock cycle. The busy signal is activated as soon as <code>write_param</code> is read as being active. While the parameter is being written, the busy signal remains asserted, and input to <code>data_in[]</code> is ignored. When the busy signal is deactivated, another parameter can be written. This signal is only valid in factory configuration mode because parameters cannot be written in Application configuration mode.
<code>param[]</code>	Input	No	Bus that specifies which parameter need to be read or updated.

*continued...*



Name	Port	Required?	Description
			A 3-bit bus that selects the parameter to be read or updated. If left unconnected, the default value for this port is 000.
data_in[]	Input	No	Data input for writing parameter data into the remote update block. Input bus for parameter data. For some parameters, not all bits are used. In this case, the lower-order bits are used (for example, status values use bits [4:0]). If left unconnected, this bus defaults to 0. The port is ignored if the current configuration is the Application configuration. A 32-bit bus width (4-bytes addressing configuration device, for example EPCQ-L256) in the Intel Quartus Prime software version 14.0 or later.
reconfig	Input	Yes	Signal indicating that reconfiguration of the part should begin using the current parameter settings. A value of 1 indicates reconfiguration should begin. This signal is ignored if the busy signal is asserted to ensure all parameters are completely written before reconfiguration begins.
reset_timer	Input	No	Reset signal for watchdog timer. Signal indicating the internal watchdog timer should be reset. Unlike other inputs, this signal is not affected by the busy signal and can reset the timer even when the busy signal is asserted. A falling edge of this signal triggers a reset of the user watchdog timer. For the timing specification of this parameter, refer to the specific device handbook.
clock	Input	Yes	Clock input to the remote update block. Clock input to control the machine and to drive the remote update block during the update of parameters. This port must be connected to a valid clock.
reset	Input	Yes	This is an active high signal. Asserting this signal high will reset the IP core. Asynchronous reset input to the IP core to initialize the machine to a valid state. The machine must be reset before first use, otherwise the state is not guaranteed to be valid.
busy	Output	No	Busy signal that indicates when remote update block is reading or writing data. While this signal is asserted, the machine ignores most of its inputs and cannot be altered until the machine deasserts this signal. Therefore, changes are made only when the machine is not busy. This signal goes high when read_param or write_param is asserted, and remains high until the read or write operation completes.
data_out[]	Output	No	Data output when reading parameters. This bus holds read parameter data from the remote update block. The param[] value specifies the parameter to read. When the read_param signal is asserted, the parameter value is loaded and driven on this bus. Data is valid when the busy signal is deasserted. If left unconnected, the default value for the port is 0.

**continued...**



Name	Port	Required?	Description
			The width of this bus is device-dependent. For the Intel Quartus Prime software version 14.0 and later, the bus width is 32-bit—using 4-byte addressing configuration device, for example EPCQL-256.
ctl_nupdt	Input	Yes	<p>This port allows you to select which register to be read whenever <code>read_param</code> operation is running.</p> <ul style="list-style-type: none"> <li>A logic high selects the Control Register—register containing the current remote update settings such as watchdog timer settings, configuration mode (AnF), and page address.</li> <li>A logic low selects the Update Register—register containing similar data as held in the Control Register, but the values are updated via <code>write_param</code> operation for use in next reconfiguration.</li> </ul>

### 1.2.5. Parameters

**Table 4. Parameter Type and Corresponding Parameter Bit Width Mapping for Intel Arria 10 and Intel Cyclone 10 GX Devices**

Bit	Parameter	Width	Comments
000	Reconfiguration trigger conditions (Read Only)	5	<ul style="list-style-type: none"> <li>Bit 4—<code>wdtimer_source</code>: User watchdog timer timeout.</li> <li>Bit 3—<code>nconfig_source</code>: External configuration reset (<code>nCONFIG</code>) assertion.</li> <li>Bit 2—<code>runconfig_source</code>: Configuration reset triggered from logic array.</li> <li>Bit 1—<code>nstatus_source</code>: <code>nSTATUS</code> asserted by an external device as the result of an error.</li> <li>Bit 0—<code>crccerror_source</code>: CRC error during application configuration.</li> </ul> <p>The POR value for all bits are 0.</p>
001			Illegal Value
010	Watchdog Timeout Value	12	<p>Width of 12 when writing.</p> <p>The 12 bits for writing are the upper 12 bits (left-most or most-significant bits) of the 29-bit Watchdog Timeout Value.</p> <p>When writing parameter data, <code>data_in[11..0]</code> corresponds to the upper 12 bits of the 29-bit Watchdog Timeout Value. For example, to set the Watchdog Timeout Value to 1, write the 12 bits of <code>data_in[11..0]</code> as <code>12'b000000000001</code>.</p>
		29	Width of 29 when reading.
011	Watchdog Enable	1	—
100	Page Select	32	<p>For the Intel Quartus Prime software version 14.0 and later:</p> <ul style="list-style-type: none"> <li>Width of 32 when reading and writing the start address.</li> <li>For active serial devices using 32-bit addressing, such as EPCQL-256, <code>PGM[31..2]</code> corresponds to the upper 30 bits of the 32-bits start address. <code>PGM[1..0]</code> is read as <code>2'b0</code>.</li> </ul>
101	Configuration Mode (AnF)	1	<p>This parameter is set to 1 in application page and is set to 0 in factory page. In remote update mode, this parameter can be read and written.</p> <p>Before loading the application page in remote update mode, Intel recommends that you set this parameter to 1. The content of the control register cannot be read properly if you fail to do so.</p>
110			Illegal Value
111			Illegal Value

## 1.2.6. Avalon-MM Interface

### 1.2.6.1. Control Status Register Signals

**Table 5. Remote Update Intel FPGA IP Core Avalon-MM Control Status Register Signals for Intel Arria 10 and Intel Cyclone 10 GX Devices**

Name	Width	Direction	Description
clk	1	Input	Clock input.
reset	1	Input	Reset input.
avl_csr_address	3	Input	Address bus.
avl_csr_read	1	Input	Perform a read transaction.
avl_csr_write	1	Input	Perform a write transaction.
avl_csr_readdata	32	Output	Read data from IP.
avl_csr_readdata_valid	1	Output	Indicate when read data is valid.
avl_csr_writedata	32	Input	Write data to IP.
avl_csr_waitrequest	1	Output	Waitrequest signal high indicates the core is busy.

#### 1.2.6.1.1. Control Status Register Write Operation

To execute the write operation for the control status register, perform the following steps:

1. Asserts the `avl_csr_write` high.
2. Write a correct address of the register in the `avl_csr_address` bus. Refer to the Register Map for register information.
3. Write data into the `avl_csr_writedata` bus.

#### Related Information

[Register Map](#) on page 14

#### 1.2.6.1.2. Control Status Register Read Operation

To execute the read operation for the control status register, perform the following steps:

1. Asserts `avl_csr_read` high.
2. Write a correct address of the register in the `avl_csr_address` bus. Refer to the Register Map for register information.
3. Wait for the `avl_csr_readdata_valid` signal to go high.
4. Retrieve read data from `avl_csr_readdata`.

#### 1.2.6.1.3. Operations Example Waveforms

**Note:** Intel recommends that you verify the Remote Update Intel FPGA IP core for Intel Arria 10 and Intel Cyclone 10 GX devices in hardware because the simulation model is not supported for Remote Update Intel FPGA IP core for Intel Arria 10 and Intel Cyclone 10 GX devices.




Figure 5. Waveform for Write Operation




Figure 6. Waveform for Read Operation




Figure 7. Waveform for RU\_CTL\_NUPDT Operation

The RU\_CTL\_NUPDT will hold the value until a new value is inserted.





Figure 8. Waveform for Reset Timer and Reconfiguration Operation

The RU\_RECONFIG will hold the value until the reconfiguration process is done.



### 1.2.6.2. Register Map

**Table 6. Remote Update Intel FPGA IP Core Avalon-MM Register Map for Intel Arria 10 and Intel Cyclone 10 GX Devices**

- The IP core can read or write each field separately as each command has different parameter value.
- The default value for the registers is 0.

Register Name	Address Offset	Width	R/W	Description
RU_RECONFIG_TRIGGER_CONDITIONS	0x0	5	Read	Read configuration trigger conditions. <ul style="list-style-type: none"> <li>• Bit 4—<code>wdtimer_source</code>: User watchdog timer timeout</li> <li>• Bit 3—<code>nconfig_source</code>: External configuration reset (<code>nCONFIG</code>) assertion.</li> <li>• Bit 2—<code>runconfig_source</code>: Configuration reset triggered from logic array</li> <li>• Bit 1—<code>nstatus_source</code>: <code>nSTATUS</code> asserted by an external device as the result of an error</li> <li>• Bit 0—<code>crccerror_source</code>: CRC error during application configuration.</li> </ul>
RU_WATCHDOG_TIMEOUT	0x1	12	Read/Write	Read or write watchdog timeout value.
RU_WATCHDOG_ENABLE	0x2	1	Read/Write	Enable or disable watchdog timeout. <ul style="list-style-type: none"> <li>• 0: Disable</li> <li>• 1: Enable</li> </ul>
RU_PAGE_SELECT	0x3	24 or 32	Read/Write	Read or write start address of the configuration image.
RU_CONFIGURATION_MODE	0x4	1	Read/Write	Write configuration mode set to 1 in application page and 0 in factory page.
RU_RESET_TIMER	0x5	1	Write	Write a value of 1 to this register to trigger reset timer of the remote update. The IP will automatically trigger a reset pulse to the reset timer pin of the remote update.
RU_RECONFIG	0x6	1	Write	Write a value of 1 to this register to trigger reconfiguration from a new image. The IP will set 1 to the <code>reconfig</code> pin of the remote update and hold this value until the process done.
RU_CTL_NUPDT	0x7	1	Write	Allow capturing of data from either Control/Update register by controlling <code>ctl_nupdt</code> . <ul style="list-style-type: none"> <li>• 0: Capture value from Update Register</li> <li>• 1: Capture data from Control Register</li> </ul>

### 1.2.7. Enabling Remote System Upgrade Circuitry

To enable the remote system upgrade feature, select **Active Serial** or **Configuration Device** from the Configuration scheme list in the **Configuration** page of the **Device and Pin Options** dialog box in the Intel Quartus Prime software.

Intel-provided Remote Update Intel FPGA IP core provides a memory-like interface to the remote system upgrade circuitry and handles the shift register read and write protocol in the Intel Arria 10 and Intel Cyclone 10 GX device logic.



When using the Remote Update Intel FPGA IP core and the Direct to Application (DTA) mode in the Intel Arria 10 devices, you must enable the **Auto-restart configuration after error** option from the **General** page of the **Device and Pin Option** dialog box to enable the factory fall back mechanism.

### 1.2.8. Generating Initial RSU Image

To convert `.sof` files to one `.jic/.rpd` files and to generate the initial RSU image, follow these steps:


1. On the **File** menu, click **Convert Programming File** and select the details as shown below:
  - Programming File type: **JTAG Indirect Configuration File (.jic)**.
  - Configuration Device: <Select the Configuration Device used in your board>.
  - Mode: Select either **Active Serial/Active Serial x4**.
  - File\_name: Set the file name and your desired location.
  - Optional:
    - Check the **Create Memory File** to generate the `.map` file
    - Check the **Create config data RPD** to generate the `.rpd` file
  - Flash loader: Click **Add Device**, select **Arria 10** and choose the **Device name** used in your design
  - SOF DATA PAGE\_0: click **Add File** and assign Factory image (`.sof`) to `Page_0`.
  - Click **Add Sof Page** to add SOF Data Page\_1. You can add more SOF Data Page according to the number of application images in this initial RSU image.
  - SOF DATA PAGE\_1: click **Add File** and select the application image file (`.sof`).
  - Setting Boot Page Selection for enabling the device to boot either from factory image or application image
    - To select the boot page, click the **Option/Boot Info** button in **Convert Programming File**.
    - In the **Options** window, select the page available from the **Boot from page** drop down menu.
    - By default, the page number will be set at **Page\_0**.
    - To allow the FPGA to boot directly from application image (DTA), change the page number to **Page\_1** and so on.
  - Click **Generate**.
  - Click **OK** when the dialog box of `.jic` file successfully generated appears.

## 1.3. Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices

### 1.3.1. Remote System Configuration Mode

#### Remote Configuration Mode

Figure 9. Remote Configuration Mode



When using with serial configuration (EPCS) or quad-serial configuration (EPCQ) devices, the remote update mode allows a configuration space to start at any flash sector boundary, allowing a maximum of 128 pages in the EPCS64 device and 32 pages in the EPCS16 device, in which the minimum size of each page is 512 Kb. Additionally, the remote update mode features a user watchdog timer that can detect functional errors in an application configuration.

### 1.3.2. Remote System Configuration Components

Table 7. Remote System Configuration Components in Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices

Components	Details
Page mode feature	The dedicated 24-bit start address register <code>PGM[23..0]</code> holds the start address.
Factory configuration	Factory configuration is the default configuration setup. In remote configuration mode, the factory configuration loads into the device upon power-up. If a system encounters an error while loading application configuration data or if the device reconfigures due to <code>nCONFIG</code> assertion, the device loads the factory configuration. The remote system configuration register determines the reason for factory configuration. Based on this information, the factory configuration determines which application configuration to load.
Application configuration	The application configuration is the configuration data from a remote source and the data is stored in different locations or pages of the memory storage device, excluding the factory default page.
Watchdog timer	A watchdog timer is a circuit that determines the functionality of another mechanism. The watchdog timer functions like a time delay relay that remains in the reset state while an application runs properly.

*continued...*





Components	Details
	<p>Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V devices are equipped with a built-in watchdog timer for remote system configuration to prevent a faulty application configuration from indefinitely stalling the device.</p> <p>The timer is a 29-bit counter, but you use only the upper 12 bits (left-most or most-significant bits) to set the value for the watchdog timer.</p> <p>The timer begins counting after the device goes into user mode. If the application configuration does not reset the user watchdog timer before time expires, the dedicated circuitry reconfigures the device with the factory configuration and resets the user watchdog timer.</p> <p>To ensure the application configuration is valid, you must continuously reset the watchdog <code>reset_timer</code> within a specific duration during user mode operation.</p>
Remote update sub-block	The remote update sub-block manages the remote configuration feature. A remote configuration state machine controls this sub-block. This sub-block generates the control signals required to control the various configuration registers.
Remote configuration registers	<p>The remote configuration registers keep track of page addresses and the cause of configuration errors. You can control both the update and shift registers. The status and control registers are controlled by internal logic, but are read via the shift register. The control register is 38-bit wide.</p> <p>For details about configuration registers, refer to the <i>Configuration, Design Security, and Remote System Upgrades</i> chapter in the respective device handbook.</p>

**Related Information**

- [Arria V Device Handbook Volume 1: Device Interfaces and Integration](#)  
Provides more information about configuration registers of the Arria V devices.
- [Cyclone V Device Handbook Volume 1: Device Interfaces and Integration](#)  
Provides more information about configuration registers of the Cyclone V devices.
- [Stratix V Device Handbook Volume 1: Device Interfaces and Integration](#)  
Provides more information about configuration registers of the Stratix V devices.

**1.3.3. Parameter Settings**

**Table 8. Remote Update Intel FPGA IP Core Parameters for Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices**

GUI Name	Values	Description
Which operation mode will you be using?	REMOTE	Specifies the configuration mode.
Which configuration device will you be using?	<ul style="list-style-type: none"> <li>• EPCS device</li> <li>• EPCQ device</li> </ul>	Choose the configuration device you are using.

*continued...*



GUI Name	Values	Description
Add support for writing configuration parameters	—	Enable this if you need to write configuration parameters.
Add support for Avalon Interface <sup>(1)</sup>	—	Enable this if you are using Avalon interface.
Enable reconfig POF checking	—	Allows you to enable <b>.pof</b> checking, which allows the remote update block to verify the existence of an application configuration image before the image is loaded. When you turn on this parameter, the Remote Update Intel FPGA IP core checks the <b>.pof</b> and sends the <code>reconfig</code> signal. This option is disabled by default.

The POF checking feature detects and verifies the existence of an application configuration image before the image is loaded. Loading an invalid application configuration image may lead to unexpected behavior of the FPGA including system failure. Examples of invalid application configuration images are:

- A partially programmed application image
- A blank application image
- An application image assigned with a wrong start address

### 1.3.4. Ports

**Table 9. Remote Update Intel FPGA IP Core Ports for Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices**

Name	Port	Required?	Description
read_param	Input	No	Read signal for the parameter specified in <code>param[ ]</code> input port and fed to <code>data_out[ ]</code> output port. Signal indicating the parameter specified on the <code>param[ ]</code> port should be read. The number of bits set on <code>data_out[ ]</code> depends on the parameter type. The signal is sampled at the rising clock edge. Assert the signal for only one clock cycle to prevent the parameter from being read again in a subsequent clock cycle. The busy signal is activated as soon as <code>read_param</code> is read as active. While the parameter is being read, the busy signal remains asserted, and <code>data_out[ ]</code> has invalid data. When the busy signal is deactivated, <code>data_out[ ]</code> is valid, another parameter can be read.
write_param	Input	No	Write signal for parameter specified in <code>param[ ]</code> and with value specified in <code>data_in[ ]</code> . Signal indicating parameter specified with <code>param[ ]</code> should be written into remote update block with the value specified in <code>data_in[ ]</code> . The number of bits read from <code>data_in[ ]</code> depends on the parameter type. The signal is sampled at the rising clock edge. The signal should be asserted for only one clock cycle to prevent the parameter from being rewritten on a subsequent clock cycle. The busy signal is activated as soon as <code>write_param</code> is read as being active. While the parameter is being written, the busy signal remains

*continued...*

<sup>(1)</sup> Parameter not available in Stratix II devices.



Name	Port	Required?	Description
			asserted, and input to <code>data_in[]</code> is ignored. When the busy signal is deactivated, another parameter can be written. This signal is only valid in factory configuration mode because parameters cannot be written in application configuration mode.
<code>param[]</code>	Input	No	Bus that specifies which parameter need to be read or updated. A 3-bit bus that selects the parameter to be read or updated. If left unconnected, the default value for this port is 000. For more information, refer to <a href="#">Parameters</a> on page 21.
<code>data_in[]</code>	Input	No	Data input for writing parameter data into the remote update block. Input bus for parameter data. For some parameters, not all bits are used. In this case, the lower-order bits are used (for example, status values use bits [4:0]). If left unconnected, this bus defaults to 0. The port is ignored if the current configuration is the Application configuration. A 24-bit bus width in the Intel Quartus Prime software version 13.0 or earlier. For the Intel Quartus Prime software version 13.1 and later, the bus widths are as follow: <ul style="list-style-type: none"> <li>• 24-bit bus width—using 3-byte addressing configuration device, for example EPCS128.</li> <li>• 32-bit bus width—using 4-byte addressing configuration device, for example EPCQ256.</li> </ul>
<code>reconfig</code>	Input	Yes	Signal indicating that reconfiguration of the part should begin using the current parameter settings. A value of 1 indicates reconfiguration should begin. This signal is ignored while the busy signal is asserted to ensure all parameters are completely written before reconfiguration begins.
<code>reset_timer</code>	Input	No	Reset signal for watchdog timer. Signal indicating the internal watchdog timer should be reset. Unlike other inputs, this signal is not affected by the busy signal and can reset the timer even when the busy signal is asserted. A falling edge of this signal triggers a reset of the user watchdog timer. For the timing specification of this parameter, refer to the specific device handbook.
<code>clock</code>	Input	Yes	Clock input to the remote update block. Clock input to control the machine and to drive the remote update block during the update of parameters. This port must be connected to a valid clock.
<code>reset</code>	Input	Yes	This is an active high signal. Asserting this signal high will reset the IP core. Asynchronous reset input to the IP core to initialize the machine to a valid state. The machine must be reset before first use, otherwise the state is not guaranteed to be valid.
<code>busy</code>	Output	No	Busy signal that indicates when remote update block is reading or writing data. While this signal is asserted, the machine ignores most of its inputs and cannot be altered until the machine deasserts this signal. Therefore, changes are made only when the machine is not busy.

*continued...*



Name	Port	Required?	Description
			This signal goes high when <code>read_param</code> or <code>write_param</code> is asserted, and remains high until the read or write operation completes.
<code>data_out[]</code>	Output	No	<p>Data output when reading parameters.</p> <p>This bus holds read parameter data from the remote update block. The <code>param[]</code> value specifies the parameter to read. When the <code>read_param</code> signal is asserted, the parameter value is loaded and driven on this bus. Data is valid when the busy signal is deasserted.</p> <p>If left unconnected, the default value for the port is 0. The width of this bus is device-dependent:</p> <p>For the Intel Quartus Prime software version 13.0 or earlier, the bus widths is 24 bits. For the Intel Quartus Prime software version 13.1 and later are as follow:</p> <ul style="list-style-type: none"> <li>• 24-bit bus width—using 3-byte addressing configuration device, for example EPCS128.</li> <li>• 32-bit bus width—using 4-byte addressing configuration device, for example EPCQ256.</li> </ul>
<code>asmi_busy</code>	Input	No	<p>Input from the <code>altasmi_parallel</code> component.</p> <p>Available when the <code>check_app_pof</code> parameter is set to <code>true</code>.</p> <p>A logic high on this pin indicates that the ASMI Parallel Intel FPGA IP core is busy processing the operation. The Remote Update Intel FPGA IP core waits for this pin to go low before initiating another operation.</p> <p>Wire this pin to the <code>asmi_busy</code> output port of the ASMI Parallel Intel FPGA IP core.</p>
<code>asmi_data_valid</code>	Input	No	<p>Input from the <code>altasmi_parallel</code> component.</p> <p>Available when the <code>check_app_pof</code> parameter is set to <code>true</code>.</p> <p>A logic high on this pin indicates valid data in the <code>asmi_dataout[7..0]</code> output port of the ASMI Parallel Intel FPGA IP core.</p> <p>Wire this pin to the <code>asmi_data_valid</code> output port of the ASMI Parallel Intel FPGA IP core.</p>
<code>asmi_dataout</code>	Input	No	<p>Input from the <code>altasmi_parallel</code> component.</p> <p>Available when the <code>check_app_pof</code> parameter is set to <code>true</code>.</p> <p>The Remote Update Intel FPGA IP core presents the address information on this pin before initiating the read operation on the ASMI Parallel Intel FPGA IP core.</p>
<code>pof_error</code>	Output	No	<p>Detects an invalid application configuration image.</p> <p>Available when the <code>check_app_pof</code> parameter is set to <code>TRUE</code>.</p> <p>A logic high on this pin indicates that the Remote Update Intel FPGA IP core detects an invalid application configuration image. If asserted high, you must take corrective action by reloading a new application configuration image or specifying a different address location in the EPCS or EPCQ that contains a valid application configuration image. Wire this pin based on your system requirement.</p>
<code>asmi_addr</code>	Output	No	Address signal to the <code>altasmi_parallel</code> component.

*continued...*



Name	Port	Required?	Description
			Available when the <code>check_app_pof</code> parameter is set to TRUE. The Remote Update Intel FPGA IP core presents the address information on this pin before initiating the read operation on the ASMI Parallel Intel FPGA IP core.
<code>asmi_read</code>	Output	No	Read signal to the <code>altasmi_parallel</code> component. Available when the <code>check_app_pof</code> parameter is set to TRUE. A logic high on this pin initiates the read operation on the ASMI Parallel Intel FPGA IP core. Wire this pin to the <code>asmi_read</code> input port of the ASMI Parallel Intel FPGA IP core.
<code>asmi_rden</code>	Output	No	Read enable signal to the <code>altasmi_parallel</code> component. Available when the <code>check_app_pof</code> parameter is set to TRUE. This pin enables the read operation on the ASMI Parallel Intel FPGA IP core. Wire this pin to the <code>asmi_rden</code> input port of the ASMI Parallel Intel FPGA IP core.

### 1.3.5. Parameters

**Table 10. Parameter Type and Corresponding Parameter Bit Width Mapping for Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices**

Bit	Parameter	Width	Comments
000	Reconfiguration trigger conditions (Read Only)	5	<ul style="list-style-type: none"> <li>Bit 4—<code>wdtimer_source</code>: User watchdog timer timeout.</li> <li>Bit 3—<code>nconfig_source</code>: External configuration reset (<code>nCONFIG</code>) assertion.</li> <li>Bit 2—<code>runconfig_source</code>: Configuration reset triggered from logic array.</li> <li>Bit 1—<code>nstatus_source</code>: <code>nSTATUS</code> asserted by an external device as the result of an error.</li> <li>Bit 0—<code>crcerror_source</code>: CRC error during application configuration.</li> </ul> The POR value for all bits are 0.
001	Illegal Value		
010	Watchdog Timeout Value	12	Width of 12 when writing. The 12 bits for writing are the upper 12 bits (left-most or most-significant bits) of the 29-bit Watchdog Timeout Value. When writing parameter data, <code>data_in[11..0]</code> corresponds to the upper 12 bits of the 29-bit Watchdog Timeout Value. For example, to set the Watchdog Timeout Value to 1, write the 12 bits of <code>data_in[11..0]</code> as <code>12'b000000000001</code> .
		29	Width of 29 when reading.
011	Watchdog Enable	1	—
100	Page Select	24 or 32	For the Intel Quartus Prime software version 13.1 and later: <ul style="list-style-type: none"> <li>Width of 24 or 32 when reading and writing the start address.</li> <li>For active serial devices using 24-bit addressing, such as EPCS128 or EPCQ128, <code>PGM[23..2]</code> corresponds to the upper 22 bits of the 24-bits start address. <code>PGM[1..0]</code> is read as <code>2'b0</code>.</li> <li>For active serial devices using 32-bit addressing, such as EPCQ256, <code>PGM[31..2]</code> corresponds to the upper 30 bits of the 32-bits start address. <code>PGM[1..0]</code> is read as <code>2'b0</code>.</li> </ul>

*continued...*



Bit	Parameter	Width	Comments
			For the Intel Quartus Prime software version 13.0 and earlier: <ul style="list-style-type: none"> <li>Width of 24 when reading and writing the start address.</li> <li>For Arria II and Stratix IV devices, PGM[23..0] form the 24-bit start address.</li> <li>For Arria V, Cyclone V, and Stratix V devices, if you use active serial devices using 24-bit addressing, such as EPCS128 or EPCQ128, PGM[23..0] corresponds to the 24 bits of the start address. If you use active serial devices using 32-bit addressing, such as EPCQ256, PGM[23..0] corresponds to the 24 MSB of the start address, thus the 32 bits start address is PGM[23..0], 8'b0.</li> </ul>
101	Configuration Mode (AnF)	1	This parameter is set to 1 in application page and is set to 0 in factory page. In remote update mode, this parameter can be read and written. Before loading the application page in remote update mode, Intel recommends that you set this parameter to 1. The content of the control register cannot be read properly if you fail to do so.
110			Illegal Value
111			Illegal Value

### 1.3.6. Avalon-MM Interface

The Avalon-MM interface in Remote Update Intel FPGA IP core is not supported in Stratix II devices.

#### 1.3.6.1. Control Status Register Signals

**Table 11. Remote Update Intel FPGA IP Core Avalon-MM Control Status Register Signals for Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices**

Name	Width	Direction	Description
clk	1	Input	Clock input.
reset	1	Input	Reset input.
avl_csr_address	3	Input	Address bus.
avl_csr_read	1	Input	Perform a read transaction.
avl_csr_write	1	Input	Perform a write transaction.
avl_csr_readdata	32	Output	Read data from IP.
avl_csr_readdata_valid	1	Output	Indicate when read data is valid.
avl_csr_writedata	32	Input	Write data to IP.
avl_csr_waitrequest	1	Output	Waitrequest signal high indicates the core is busy.



### 1.3.6.1.1. Control Status Register Write Operation

To execute the write operation for control the status register, perform the following steps:

1. Asserts the `avl_csr_write` high.
2. Write a correct address of the register in the `avl_csr_address` bus. Refer to the Register Map for register information.
3. Write data into the `avl_csr_writedata` bus.

#### Related Information

[Register Map](#) on page 23

### 1.3.6.1.2. Control Status Register Read Operation

To execute the read operation for the control status register, perform the following steps:

1. Asserts `avl_csr_read` high.
2. Write a correct address of the register in the `avl_csr_address` bus. Refer to the Register Map for register information.
3. Wait for the `avl_csr_readdata_valid` signal to go high.
4. Retrieve read data from `avl_csr_readdata`.

### 1.3.6.2. Register Map

**Table 12. Remote Update Intel FPGA IP Core Avalon-MM Register Map for Arria V, Cyclone V, Stratix IV, and Stratix V Devices**

- The IP core can read or write each field separately as each command has different parameter value.
- The default value for the registers is 0.

Register Name	Address Offset	Width	R/W	Description
RU_RECONFIG_TRIGGER_CONDITIONS	0x0	5	Read	Read configuration trigger conditions. <ul style="list-style-type: none"> <li>• Bit 4—<code>wdtimer_source</code>: Users watchdog timer timeout</li> <li>• Bit 3—<code>nconfig_source</code>: External configuration reset (<code>nCONFIG</code>) assertion.</li> <li>• Bit 2—<code>runconfig_source</code>: Configuration reset triggered from logic array</li> <li>• Bit 1—<code>nstatus_source</code>: <code>nSTATUS</code> asserted by an external device as the result of an error</li> <li>• Bit 0—<code>crcerror_source</code>: CRC error during application configuration.</li> </ul>
RU_WATCHDOG_TIMEOUT	0x1	12	Read/Write	Read or write watchdog timeout value.
RU_WATCHDOG_ENABLE	0x2	1	Read/Write	Enable or disable watchdog timeout. <ul style="list-style-type: none"> <li>• 0: Disable</li> <li>• 1: Enable</li> </ul>
RU_PAGE_SELECT	0x3	24 or 32	Read/Write	Read or write start address of configuration image.

*continued...*



Register Name	Address Offset	Width	R/W	Description
RU_CONFIGURATION_MODE	0x4	1	Read/Write	Write configuration mode set to 1 in application page and 0 in factory page.
RU_RESET_TIMER	0x5	1	Write	Write a value of 1 to this register to trigger reset timer of the remote update. The IP will automatically trigger a reset pulse to reset timer pin of the remote update.
RU_RECONFIG	0x6	1	Write	Write a value of 1 to this register to trigger reconfiguration from a new image. The IP will set 1 to <code>reconfig</code> pin of the remote update and hold this value until the process done.

### 1.3.7. Enabling Remote System Upgrade Circuitry

To enable the remote system upgrade feature, follow these steps:

1. Select **Active Serial x1/x4** or **Configuration Device** from the Configuration scheme list in the **Configuration** page of the **Device and Pin Options** dialog box in the Intel Quartus Prime software.
2. Select **Remote** from the Configuration mode list in the **Configuration** page of the **Device and Pin Options** dialog box in the Intel Quartus Prime software.

Enabling this feature automatically turns on the **Auto-restart configuration after error** option.

Remote Update Intel FPGA IP core provides a memory-like interface to the remote system upgrade circuitry and handles the shift register read and write protocol in the device logic.






## 1.4. Cyclone IV and Intel Cyclone 10 LP Devices

### 1.4.1. Remote System Configuration Mode

#### Remote Configuration Mode

Figure 10. Remote Configuration Mode



Only Cyclone IV E devices support both the active parallel (AP) and active serial (AS) configuration scheme for remote system upgrade. Intel Cyclone 10 LP and other Cyclone IV devices support only the AS configuration scheme for remote system upgrade.

When using with EPCS or EPCQ devices, the remote update mode allows a configuration space to start at any flash sector boundary, allowing a maximum of 128 pages in the EPCS64 device and 32 pages in the EPCS16 device, in which the minimum size of each page is 512 Kb. Additionally, the remote update mode features a user watchdog timer that can detect functional errors in an application configuration.

### 1.4.2. Remote System Configuration Components

Table 13. Remote System Configuration Components in Cyclone IV and Intel Cyclone 10 LP Devices

Components	Details
Page mode feature	Cyclone IV and Intel Cyclone 10 LP devices use a 24-bit boot start address for AS configuration in which you set the most significant 22 bits. Similar setting applies for AP configuration in Cyclone IV E devices. In addition, Cyclone IV and Intel Cyclone 10 LP devices do not support <code>pgmout</code> ports.
Factory configuration	Factory configuration is the default configuration setup. In remote configuration mode, the factory configuration loads into Cyclone IV and Intel Cyclone 10 LP devices upon power-up. If a system encounters an error while loading application configuration data or if the device reconfigures due to <code>nCONFIG</code> assertion, the device loads the factory configuration. The remote system configuration register determines the reason for factory configuration. Based on this information, the factory configuration determines which application configuration to load.

*continued...*



Components	Details
	<p>Upon power-up in remote update in the AP configuration scheme, Cyclone IV E devices load the default factory configuration located at the following address:</p> <pre>boot_address[23:0] = 24'h010000 = 24'b1 0000 0000 0000 0000.</pre> <p>You can change the default factory configuration address to any address using the <code>APFC_BOOT_ADDR</code> JTAG instruction. The factory image is stored in non-volatile memory and is never updated or modified using remote access. This corresponds to the default start address location <code>0x010000</code> (or the updated address if the default address is changed) in the supported parallel flash memory. Note that <code>0x010000</code> is the 16-bit word address for the AP flash memory. However, the Intel Quartus Prime software implements 8-bit byte addressing. Therefore, the correct Intel Quartus Prime software setting for this address is <code>0x020000</code>.</p>
Application configuration	<p>The application configuration is the configuration data from a remote source and the data is stored in different locations or pages of the memory storage device, excluding the factory default page.</p>
Watchdog timer	<p>A watchdog timer is a circuit that determines the functionality of another mechanism. The watchdog timer functions like a time delay relay that remains in the reset state while an application runs properly.</p> <p>The devices are equipped with a built-in watchdog timer for remote system configuration to prevent a faulty application configuration from indefinitely stalling the device.</p> <p>The timer is a 29-bit counter, but you use only the upper 12 bits (left-most or most-significant bits) to set the value for the watchdog timer.</p> <p>The timer begins counting after the device goes into user mode. If the application configuration does not reset the user watchdog timer before time expires, the dedicated circuitry reconfigures the device with the factory configuration and resets the user watchdog timer.</p> <p>To ensure the application configuration is valid, you must continuously reset the watchdog <code>reset_timer</code> within a specific duration during user mode operation.</p>
Remote update sub-block	<p>The remote update sub-block manages the remote configuration feature. A remote configuration state machine controls this sub-block. This sub-block generates the control signals required to control the various configuration registers.</p>
Remote configuration registers	<p>The remote configuration registers keep track of page addresses and the cause of configuration errors. You can control both the update and shift registers. The status and control registers are controlled by internal logic, but are read via the shift register.</p> <p>The remote system upgrade status register has additional capabilities. Three sets of registers store the status for the current application configuration and the two previous application configurations.</p> <p>For details about configuration registers, refer to the <i>Configuration, Design Security, and Remote System Upgrades</i> chapter in the respective device handbook.</p>

### Related Information

- [Cyclone IV Device Handbook, Volume 1](#)  
Provides more information about configuration registers of the Cyclone IV devices.
- [Intel Cyclone 10 LP Core Fabric and General Purpose I/Os Handbook](#)  
Provides more information about configuration registers of the Intel Cyclone I0 LP devices.



### 1.4.3. Parameter Settings

**Table 14. Remote Update Intel FPGA IP Core Parameters for Cyclone IV and Intel Cyclone 10 LP Devices**

GUI Name	Legal Value in GUI	Description
Which operation mode will you be using?	REMOTE	Specifies the configuration mode of the Remote Update Intel FPGA IP core.
Which configuration device will you be using?	<ul style="list-style-type: none"> <li>EPCS device</li> <li>EPCQ device</li> </ul>	Choose the configuration device that you are using.
Add support for writing configuration parameters	—	Enable this if you need to write configuration parameters.
Enable reconfig POF checking	—	Allows you to enable <b>.pof</b> checking, which allows the remote update block to verify the existence of an application configuration image before the image is loaded. When you turn on this parameter, the Remote Update Intel FPGA IP core checks the <b>.pof</b> and sends the reconfig signal. This option is disabled by default.

### 1.4.4. Ports

**Table 15. Remote Update Intel FPGA IP Core Ports for Cyclone IV and Intel Cyclone 10 LP Devices**

Name	Port	Required?	Description
read_param	Input	No	<p>Read signal for the parameter specified in param[ ] input port and fed to data_out[ ] output port.</p> <p>Signal indicating the parameter specified on the param[ ] port should be read. The number of bits set on data_out[ ] depends on the parameter type. The signal is sampled at the rising clock edge. Assert the signal for only one clock cycle to prevent the parameter from being read again in a subsequent clock cycle.</p> <p>The busy signal is activated as soon as read_param is read as active. While the parameter is being read, the busy signal remains asserted, and data_out[ ] has invalid data. When the busy signal is deactivated, data_out[ ] becomes valid and another parameter can be read.</p>
write_param	Input	No	<p>Write signal for parameter specified in param[ ] and with value specified in data_in[ ].</p> <p>Signal indicating parameter specified with param[ ] should be written into remote update block with the value specified in data_in[ ]. The number of bits read from data_in[ ] depends on the parameter type.</p> <p>The signal is sampled at the rising clock edge. The signal should be asserted for only one clock cycle to prevent the parameter from being rewritten on a subsequent clock cycle. The busy signal is activated as soon as write_param is read as being active. While the parameter is being written, the busy signal remains asserted, and input to data_in[ ] is ignored. When the busy signal is deactivated, another parameter can be written. This signal is only valid in factory configuration mode because parameters cannot be written in application configuration mode.</p>
			<i>continued...</i>



Name	Port	Required?	Description
param[ ]	Input	No	<p>Bus that specifies which parameter need to be read or updated.</p> <p>A 3-bit bus that selects the parameter to be read or updated. If left unconnected, the default value for this port is 000.</p> <p>For more information, refer to <a href="#">Parameters</a> on page 30.</p>
data_in[ ]	Input	No	<p>Data input for writing parameter data into the remote update block. Input bus for parameter data.</p> <p>For some parameters, not all bits are used. In this case, the lower-order bits are used (for example, status values use bits [4:0]).</p> <p>If left unconnected, this bus defaults to 0. The port is ignored if the current configuration is the application configuration.</p> <p>For the Intel Quartus Prime software version 13.0 or earlier, the bus width is 22-bit. For the Intel Quartus Prime software version 13.1 and later, the bus widths are as follow:</p> <ul style="list-style-type: none"> <li>• 24-bit bus width—using 3-byte addressing configuration device, for example EPCS128.</li> <li>• 32-bit bus width—using 4-byte addressing configuration device, for example EPCQ256.</li> </ul>
reconfig	Input	Yes	<p>Signal indicating that reconfiguration of the part should begin using the current parameter settings. A value of 1 indicates reconfiguration should begin. This signal is ignored while busy is asserted to ensure all parameters are completely written before reconfiguration begins.</p>
reset_timer	Input	No	<p>Reset signal for the watchdog timer.</p> <p>Signal indicating the internal watchdog timer should be reset. Unlike other inputs, this signal is not affected by the busy signal and can reset the timer even when the busy signal is asserted.</p> <p>A falling edge of this signal triggers a reset of the user watchdog timer.</p> <p>For the timing specification of this parameter, refer to the specific device handbook.</p>
read_source	Input	Yes	<p>Specifies whether a parameter value is read from the current or a previous state.</p> <p>This 2-bit port specifies the state from which a parameter value is read. This signal is valid only when the read_param signal is valid.</p> <p>Mapping read_source[1..0] to Selected Source is defined as follow:</p> <ul style="list-style-type: none"> <li>• 00 - Current State Content in Status Register</li> <li>• 01 - Previous State Register 1 Content in Status Register</li> <li>• 10 - Previous State Register 2 Content in Status Register</li> <li>• 11 - Value in Input Register</li> </ul> <p>For details, refer to the <i>Configuration, Design Security, and Remote System Upgrades</i> chapter in the respective device handbook.</p>
clock	Input	Yes	<p>Clock input to the remote update block.</p> <p>Clock input to control the machine and to drive the remote update block during the update of parameters. This port must be connected to a valid clock.</p>

**continued...**



Name	Port	Required?	Description
reset	Input	Yes	This is an active high signal. Asserting this signal high will reset the IP core. Asynchronous reset input to the IP core to initialize the machine to a valid state. The machine must be reset before first use, otherwise the state is not guaranteed to be valid.
busy	Output	No	Busy signal that indicates when remote update block is reading or writing data. While this signal is asserted, the machine ignores most of its inputs and cannot be altered until the machine deasserts this signal. Therefore, changes are made only when the machine is not busy. This signal goes high when read_param or write_param is asserted, and remains high until the read or write operation completes.
data_out[ ]	Output	No	Data output when reading parameters. This bus holds read parameter data from the remote update block. The param[ ] value specifies the parameter to read. When the read_param signal is asserted, the parameter value is loaded and driven on this bus. Data is valid when the busy signal is deasserted. If left unconnected, the default value for the port is 000. The width of this bus is device-dependent: For the Intel Quartus Prime software version 13.0 or earlier, the bus width is 29-bit. For the Intel Quartus Prime software version 13.1 and later, the bus widths are as follow: <ul style="list-style-type: none"> <li>29-bit bus width—using 3-byte addressing configuration device, for example EPCS128.</li> <li>32-bit bus width—using 4-byte addressing configuration device, for example EPCQ256.</li> </ul>
asmi_busy	Input	No	Input from the altasmi_parallel component. Available when the check_app_pof parameter is set to true. A logic high on this pin indicates that the ASMI Parallel Intel FPGA IP core is busy processing the operation. The Remote Update Intel FPGA IP core waits for this pin to go low before initiating another operation. Wire this pin to the asmi_busy output port of the ASMI Parallel Intel FPGA IP core.
asmi_data_valid	Input	No	Input from the altasmi_parallel component. Available when the check_app_pof parameter is set to true. A logic high on this pin indicates valid data in the asmi_dataout[7..0] output port of the ASMI Parallel Intel FPGA IP core. Wire this pin to the asmi_data_valid output port of the ASMI Parallel Intel FPGA IP core.
asmi_dataout	Input	No	Input from the altasmi_parallel component. Available when the check_app_pof parameter is set to true. The Remote Update Intel FPGA IP core presents the address information on this pin before initiating the read operation on the ASMI Parallel Intel FPGA IP core.
pof_error	Output	No	Detects an invalid application configuration image.

**continued...**



Name	Port	Required?	Description
			Available when the <code>check_app_pof</code> parameter is set to TRUE. A logic high on this pin indicates that the Remote Update Intel FPGA IP core detects an invalid application configuration image. If asserted high, you must take corrective action by reloading a new application configuration image or specifying a different address location in the EPCS or EPCQ that contains a valid application configuration image. Wire this pin based on your system requirement.
<code>asmi_addr</code>	Output	No	Address signal to the <code>altasmi_parallel</code> component. Available when the <code>check_app_pof</code> parameter is set to TRUE. The Remote Update Intel FPGA IP core presents the address information on this pin before initiating the read operation on the ASMI Parallel Intel FPGA IP core. Wire this pin to the <code>asmi_addr</code> input port of the ASMI Parallel Intel FPGA IP core.
<code>asmi_read</code>	Output	No	Read signal to the <code>altasmi_parallel</code> component. Available when the <code>check_app_pof</code> parameter is set to TRUE. A logic high on this pin initiates the read operation on the ASMI Parallel Intel FPGA IP core. Wire this pin to the <code>asmi_read</code> input port of the ASMI Parallel Intel FPGA IP core.
<code>asmi_rden</code>	Output	No	Read enable signal to the <code>altasmi_parallel</code> component. Available when the <code>check_app_pof</code> parameter is set to TRUE. This pin enables the read operation on the ASMI Parallel Intel FPGA IP core. Wire this pin to the <code>asmi_rden</code> input port of the ASMI Parallel Intel FPGA IP core.

### 1.4.5. Parameters

**Table 16. Parameter Type and Corresponding Parameter Bit Width Mapping for Cyclone IV and Intel Cyclone 10 LP Devices**

Bit	Parameter	Width	Comments
000	Master State Machine Current State Mode (Read Only)	2	00—Factory mode. 01—Application mode. 11—Application mode with the master state machine user watchdog timer enabled.
001	Force early CONF_DONE ( <code>cd_early</code> ) check	1	—
010	Watchdog Timeout Value	12	Width of 12 when writing. The 12 bits for writing are the upper 12 bits (left-most or most-significant bits) of the 29-bit Watchdog Timeout Value. When writing parameter data, <code>data_in[11..0]</code> corresponds to the upper 12 bits of the 29-bit Watchdog Timeout Value. For example, to set the Watchdog Timeout Value to 1, write the 12 bits of <code>data_in[11..0]</code> as <code>12'b000000000001</code> .
		29	Width of 29 when reading.
011	Watchdog Enable	1	—

*continued...*



Bit	Parameter	Width	Comments
100	Boot Address	—	<p>For the Intel Quartus Prime software version 13.1 and later:</p> <ul style="list-style-type: none"> <li>Width of 29 or 32 when reading the boot address.</li> <li>Width of 24 or 32 when writing the boot address.</li> <li>For active serial devices using the 24-bit addressing, such as EPCS128 or EPCQ128, <code>boot_address[23..2]</code> corresponds to the upper 22 bits of the 24-bits boot address. <code>boot_address[1..0]</code> is read as 2'b0.</li> <li>For active serial devices using the 32-bit addressing, such as EPCQ256, <code>boot_address[31..2]</code> corresponds to the upper 30 bits of the 32-bits boot address. <code>boot_address[1..0]</code> is read as 2'b0.</li> </ul> <p>For the Intel Quartus Prime software version 13.0 or earlier:</p> <ul style="list-style-type: none"> <li>Width of 24 when reading the boot address.</li> <li>Width of 22 when writing the boot address.</li> <li>Writes the boot address to the upper 22 bits of the 24-bits boot address.</li> </ul>
101	Illegal Value		
110	Force the internal oscillator as startup state machine clock ( <code>osc_int</code> ) option bit	1	—
111	Reconfiguration trigger conditions (Read Only)	5	<p>Bit 4 (<code>nconfig_source</code>)—external configuration reset (<code>nconfig</code>) assertion.</p> <p>Bit 3 (<code>cxrcerror_source</code>)—CRC error during application configuration.</p> <p>Bit 2 (<code>nstatus_source</code>)—<code>nstatus</code> asserted by an external device as the result of an error.</p> <p>Bit 1 (<code>wdtimer_source</code>)—User watchdog timer timeout.</p> <p>Bit 0 (<code>runconfig_source</code>)—Configuration reset triggered from logic array.</p>

### 1.4.6. Remote Update Operation

The operation defined in the Remote Update Operation column should only be performed in the corresponding master state machine (MSM) mode.

**Table 17. Cyclone IV and Intel Cyclone 10 LP Devices Remote Update Operation**

*Note:* `read_source` specifies whether a parameter value is read from the current or a previous state. For more information, refer to [Table 18](#) on page 33.

read_param	write_param	read_source	param	Remote Update Operation	data_out width (bits)	MSM Mode
1	0	[00]	[000]	Master State Machine Current State Mode (Read Only) <ul style="list-style-type: none"> <li>00—Factory mode</li> <li>01—Application mode</li> <li>11—Application mode with master state machine user watchdog timer enabled</li> </ul>	2	Factory or Application
1	0	[00]	[100]	Read factory boot address	24	Factory
1	0	[01]	[100]	Read Past Status 1 boot address. For more information, refer to <a href="#">Figure 11</a> on page 33.	24	Factory

*continued...*



read_param	write_param	read_source	param	Remote Update Operation	data_out width (bits)	MSM Mode
1	0	[01]	[111]	Read Past Status 1 reconfiguration trigger condition source. For more information, refer to <a href="#">Figure 11</a> on page 33.	5	Factory
1	0	[10]	[100]	Read Past Status 2 boot address. For more information, refer to <a href="#">Figure 11</a> on page 33.	24	Factory
1	0	[10]	[111]	Read Past Status 2 reconfiguration trigger condition source For more information, refer to <a href="#">Figure 11</a> on page 33.	5	Factory
1	0	[01]	[010]	Read current application mode watchdog value	29	Application
1	0	[01]	[011]	Read current application mode watchdog enable	1	Application
1	0	[10]	[100]	Read current application mode boot address	24	Application
0	1	[00]	[001]	Write the early <code>confdone</code> check bit. All parameters can be written in factory mode only.	1	Factory
0	1	[00]	[010]	Write the watchdog time-out value. All parameters can be written in factory mode only.	12	Factory
0	1	[00]	[011]	Write the watchdog enable bit. All parameters can be written in factory mode only.	1	Factory
0	1	[00]	[100]	Write application boot address. All parameters can be written in factory mode only.	22	Factory
0	1	[00]	[110]	Write to force the internal oscillator as startup state machine clock. All parameters can be written in factory mode only.	1	Factory
1	0	[11]	[001]	Read the early <code>confdone</code> check bits	1	Factory
1	0	[11]	[010]	Read watchdog time-out value	12	Factory
1	0	[11]	[011]	Read watchdog enable bit	1	Factory
1	0	[11]	[100]	Read boot address	22	Factory
1	0	[11]	[110]	Read to check whether the internal oscillator is set as startup state machine clock	1	Factory

### read\_source

The following table lists the details for `read_source`. `read_source` specifies whether a parameter value is read from the current or a previous state. When you trigger the read operation, all contents in the status register or input register latched to the `data_out` node in the Remote Update Intel FPGA IP core.






**Table 18. read\_source**

read_source	Description
00	Current state contents in status register
01	Previous state register 1 contents in status register
10	Previous state register 2 contents in status register
11	Current contents is in input register

### State Register

The previous state register 1 reflects the current application configuration and the previous state register 2 reflects the previous application configuration.

**Figure 11. State Register**




## 1.4.7. Avalon-MM Interface

### 1.4.7.1. Control Status Register Signals

**Table 19. Remote Update Intel FPGA IP Core Avalon-MM Control Status Register Signals for Cyclone IV and Intel Cyclone 10 LP Devices**

Name	Width	Direction	Description
clk	1	Input	Clock input.
reset	1	Input	Reset input.

*continued...*



Name	Width	Direction	Description
avl_csr_address	3	Input	Address bus.
avl_csr_read	1	Input	Perform a read transaction.
avl_csr_write	1	Input	Perform a write transaction.
avl_csr_readdata	32	Output	Read data from IP.
avl_csr_readdata_valid	1	Output	Indicate when read data is valid.
avl_csr_writedata	32	Input	Write data to IP.
avl_csr_waitrequest	1	Output	Waitrequest signal high indicates the core is busy.

#### 1.4.7.1.1. Control Status Register Write Operation

To execute the write operation for the control status register, perform the following steps:

1. Asserts the `avl_csr_write` high.
2. Write a correct address of the register in the `avl_csr_address` bus. Refer to the Register Map for register information.
3. Write data into the `avl_csr_writedata` bus.

#### Related Information

[Register Map](#) on page 35

#### 1.4.7.1.2. Control Status Register Read Operation

To execute the read operation for the control status register, perform the following steps:

1. Asserts `avl_csr_read` signal high.
2. Write a correct address of the register in the `avl_csr_address` bus. Refer to the Register Map for register information.
3. Wait for the `avl_csr_readdata_valid` signal to go high.
4. Retrieve read data from `avl_csr_readdata`.



### 1.4.7.2. Register Map

**Table 20. Remote Update Intel FPGA IP Core Avalon-MM Register Map for Cyclone IV and Intel Cyclone 10 LP Devices**

- The last two bits of an address represents the `read_source` signals.
- You have to write the correct address offset to carry `read_source` value as shown in the Read Source Mapping table.
- The IP core combines the address bus of control status register interface to the `read_source` parameter.
- The default value for the registers is 0.
- The address offsets are in word.

Register Name	Address Offset	Width	R/W	Description
RU_MASTER_SM_CURRENT_STATE_MODE	0x0	2	Read	Read current state of the state machine 00: Factory mode 01: Application mode 11: Application mode with the master state machine user watchdog timer enabled.
RU_FORCE_EARLY_CONF_DONE	0x4	1	Read/Write	Force early CONF_DONE
RU_WATCHDOG_TIMEOUT	0x8	29 or 12	Read/Write	Read or write watchdog timeout value. <ul style="list-style-type: none"> <li>• 12 bit wide when writing</li> <li>• 29 bit wide when reading</li> </ul>
RU_WATCHDOG_ENABLE	0xC	1	Read/Write	Enable or disable watchdog timeout. <ul style="list-style-type: none"> <li>• 0: Disable</li> <li>• 1: Enable</li> </ul>
RU_BOOT_ADDRESS	0x10	24, 29 or 32	Read/Write	<ul style="list-style-type: none"> <li>• 29 or 32 bit wide (EPCQ 32 bit addressing) when reading boot address.</li> <li>• 24 or 32 bit wide when writing the boot address.</li> </ul>
RU_FORCE_INTERNAL_OSC	0x14	1	Read/Write	Force the internal oscillator as startup state machine clock ( <code>osc_int</code> ) option bit
RU_RECONFIG_TRIGGER_CONDITIONS	0x18	5	Read	Read configuration trigger conditions.
<i>continued...</i>				



Register Name	Address Offset	Width	R/W	Description
				<ul style="list-style-type: none"> <li>Bit 4—<code>nconfig_source</code>: External configuration reset (<code>nCONFIG</code>) assertion.</li> <li>Bit 3—<code>crccerror_source</code>: CRC error during application configuration.</li> <li>Bit 2—<code>nstatus_source</code>: <code>nSTATUS</code> asserted by an external device as the result of an error</li> <li>Bit 1—<code>wdtimer_source</code>: Users watchdog timer timeout</li> <li>Bit 0—<code>runconfig_source</code>: Configuration reset triggered from logic array</li> </ul>
<code>RU_RESET_TIMER</code>	0x1C	1	Write	Write a value of 1 to this register to trigger reset timer of the remote update. The IP core will automatically trigger a reset pulse to reset timer pin of the remote update.
<code>RU_RECONFIG</code>	0x1D	1	Write	Write to this address with value of 1 to trigger reconfiguration from a new image. The IP core will set 1 to <code>reconfig</code> pin of the remote update and hold this value until the process done.

### 1.4.7.3. Read Source Mapping

**Table 21. Read Source Mapping**

- Table shows the address offset with their read source value.
- These combinations are used to describe all supported operations in the Control Status Register Signals.

Name	Address offset	Read source value
<code>RU_MASTER_SM_CURRENT_STATE_MODE</code>	0x0	00
	0x1	01
	0x2	10
	0x3	11
<code>RU_FORCE_EARLY_CONF_DONE</code>	0x4	00
	0x5	01
	0x6	10
	0x7	11
<code>RU_WATCHDOG_TIMEOUT</code>	0x8	00
	0x9	01
	0xA	10
	0xB	11
<code>RU_WATCHDOG_ENABLE</code>	0xC	00
	0xD	01
	0xE	10
	0xF	11
<code>RU_BOOT_ADDRESS</code>	0x10	00
	0x11	01
	0x12	10
	0x13	11
<code>RU_FORCE_INTERNAL_OSC</code>	0x14	00
	0x15	01

*continued...*



Name	Address offset	Read source value
	0x16	10
	0x17	11
RU_RECONFIG_TRIGGER_CONDITIONS	0x18	00
	0x19	01
	0x1A	10
	0x1B	11
RU_RESET_TIMER	0x1C	N/A
RU_RECONFIG	0x1D	N/A

### 1.4.8. Enabling Remote System Upgrade Circuitry

To enable remote update in the compiler settings of the project, perform the following steps:

1. On the **Assignments** menu, click **Device**.
2. In the **Settings** dialog box, Click **Device and Pin Options**.
3. In the **Device and Pin Options** dialog box , click the **Configuration** tab.
4. From the **Configuration Mode** list, select **Remote**.
5. Click **OK**.
6. In the **Settings** dialog box, click **OK**.

## 1.5. Flash Memory Programming Files

You can program the flash memory, EPCS, EPCQ, and EPCQ-L using the JTAG interface or Active Serial interface. Depending on the interface, you need to generate either a JTAG indirect configuration (`.jic`) file or a raw programming data (`.rpd`) file.

**Table 22. Flash Memory Programming Files Based on Programming Interface**

Programming Interface	Flash Memory Programming File Used	Description
JTAG Interface	<code>.jic</code>	The <code>.jic</code> file instantiates the Serial Flash Loader IP core in the design to form a bridge between the flash and the JTAG Interface.
Active Serial Interface	<code>.rpd</code>	Programming data is transferred directly between the flash and download cable.

To update the application image only, you can do either one of the following:

- Recompile the `.jic` file and choose new application image only in the convert programming file tool.
- Generate the `.rpd` file and program the EPCQ-L with ASMI IP or external controller.

#### Related Information

- [Using the Intel FPGA Serial Flash Loader with the Intel Quartus Prime Software](#)
- [ASMI Parallel Intel FPGA IP Core User Guide](#)

## 1.6. Design Examples

### 1.6.1. Intel Arria 10 Remote Update Design Example

This Intel Arria 10 design example uses the Avalon-MM interface. Intel uses the following hardware and software to create the design example:

- Intel Quartus Prime Version : 15.0
- Intel Arria 10 Development Kit with 10AX115S3F45I2SGE2 FPGA Device

Follow these steps to perform the design example tasks:

1. Unzip the contents of the design example to your working directory on your PC.
2. Convert the three .sof files into one .jic by using Convert Programming File. On the **File** Menu, click **Convert Programming Files** and select the details as shown below:
  - Programming File type: **JTAG Indirect Configuration File (.jic)**.
  - Select Configuration Device: **EPCQL1024**.
  - Mode: **Active Serial**.
  - Set the file name you your desired location.
  - Flash loader: click **add device** and choose **10AX115S2E2**.
  - SOFT DATA PAGE\_0: click **Add File** and select the factory image with start address set to **<auto>**.
  - SOFT DATA PAGE\_1: click **Add File** and select the application image file with start address 0x2000000. Compression is enabled for this application image file.
  - SOFT DATA PAGE\_2: click **Add File** and select the application image file with start address 0x4000000. Compression is enabled for this application image file.
  - Click **Generate**.
  - Click **OK** when the dialog box of .jic file successfully generated appears.
3. Please follow the steps below to run the simple design:
  - a. After programming the .jic file, power cycle the board, all LED is lighted up. It indicates you are currently at factory image.
  - b. Go to system console and direct to the directory where your FI\_SysConsole\_try.tcl is located. Type source FI\_SysConsole\_try.tcl.

Only one LED is lighted up which indicates successfully go to application image 1. After the watchdog timeout, all LED will light up and go back to factory image.

*Note:* To go to application image 2 directly form the factory image, comment out the write boot address to App1 and uncomment the write boot address App2 in the FI\_SysConsole\_try.tcl file.

4. Setting Boot Page Selection for design with more than one SOF page:
  - a. To select the boot page, click the **Option/Boot Info** button in **Convert Programming File**.



- b. In the **Active Serial Boot Info** window, select the page available from the **Boot from page** drop down menu. By default, the page number will be set at **page\_0**.
- c. For application to application image, change the page number to **page\_1** or **page\_2**.

### Related Information

[Intel Arria 10 Remote System Update with Avalon-MM Interface Design Example](#)

## 1.6.2. Cyclone V Remote Update Design Example

Intel uses the following hardware and software to create the design example:

- Intel Quartus Prime Version : 13.0
- Cyclone V Development Kit with 5CEFA7F31C7ES FPGA Device

Follow these steps to perform the design example tasks:

1. Unzip the contents of the design example to your working directory on your PC.
2. In the Intel Quartus Prime software, click **Open Project** in the **File** menu.
3. Compile the application image:
  - a. Browse to the folder in which you unzipped the files and open the `Application_Image.qpf`.
  - b. Click **Yes** in the message box "Do you want to overwrite the database for C:/your working directory/Application\_Image.qpf created by Quartus II 64-Bit Version 13.0.a Build 232 Service Pack 1 SJ Full version?"
  - c. On the **Processing** menu, choose **Start Compilation**.
  - d. Click **OK** when the full compilation successful dialog box appears. The `Application_Image.sof` will be generated in `c:\your working directory\output_files`.
  - e. Click **close project** in the **file** menu.
4. Compile the factory image:
  - a. Browse to the folder in which you unzipped the files and open the `SVRSU.qpf`.
  - b. Click **Yes** in the message box "Do you want to overwrite the database for C:/your working directory/Application\_Image.qpf created by Quartus II 64-Bit Version 13.0.a Build 232 Service Pack 1 SJ Full version?"
  - c. Choose **Start Compilation** on the **Processing** menu.
  - d. Click **OK** when the full compilation successful dialog box appears. The `Factory_Image.sof` will be generated in `c:\your working directory\output_files`.
5. On the **File** Menu, click **Convert Programming Files** and select the details as shown below:
  - Programming File type: **JTAG Indirect Configuration File (.jic)**
  - Select Configuration Device: **EPCQ 128**
  - Mode: **Active Serial x4**
  - File name: `c:/your working directory/output_file.jic`



- Flash loader: click **add device** and choose **5CEFA7ES**
  - SOFT DATA PAGE\_0: click **Add File** and select the factory image file (SVRSU.sof)
  - SOFT DATA PAGE\_1: click **Add File** and select the Application image file (Application\_Image.sof)
  - Click **Generate**.
  - Click **OK** when the dialog box of .jic file successfully generated appears.
6. On the Tool Menu, click **Programmer** and follow these steps:
- a. Make sure the board is power up and the Intel FPGA Download Cable is connected between computer and the board. This design example uses the Intel FPGA Download Cable and JTAG mode.
  - b. Click **Auto Detect**.
  - c. **Right-click** on the **5CEFA7ES** and select **change file**.
  - d. Browse to the output\_file.jic that was generated in previous steps.
  - e. Turn on the **Program/Configure** checkbox and click **Start**.
  - f. Configuration successful indicates the FPGA is configured successfully.

#### Related Information

- [Cyclone V Remote System Update Design Example](#)
- [AN 603: Active Serial Remote System Upgrade Reference Design](#)  
Provides more information about Arria II GX, Stratix III and Stratix IV devices reference design.

## 1.7. Remote Update Intel FPGA IP User Guide Archives

IP versions are the same as the Intel Quartus Prime Design Suite software versions up to v19.1. From Intel Quartus Prime Design Suite software version 19.2 or later, IP cores have a new IP versioning scheme.

If an IP core version is not listed, the user guide for the previous IP core version applies.

IP Core Version	User Guide
16.0	<a href="#">Altera Remote Update IP Core User Guide</a>
15.1	<a href="#">Altera Remote Update IP Core User Guide</a>
15.0	<a href="#">Altera Remote Update IP Core User Guide</a>
14.0	<a href="#">Altera Remote Update IP Core User Guide</a>





## 1.8. Document Revision History for the Remote Update Intel FPGA IP User Guide

Document Version	Intel Quartus Prime Version	Changes
2020.02.11	18.0	Updated the <i>Enabling Remote System Upgrade Circuitry</i> topic.
2019.12.24	18.0	<ul style="list-style-type: none"> <li>Updated the <i>Intel Arria 10 and Intel Cyclone 10 Devices</i> section: <ul style="list-style-type: none"> <li>Added new topic: <i>Generating Initial RSU Image</i></li> <li>Updated the description of the <i>Remote System Configuration Mode</i> topic.</li> </ul> </li> </ul>
2019.10.22	18.0	<ul style="list-style-type: none"> <li>Added new topics: <ul style="list-style-type: none"> <li><i>Remote System Upgrade State Machine</i></li> <li><i>Switching from Factory to Application Image or from Initial Application Image to Other Application Image</i></li> </ul> </li> </ul>
2019.04.26	18.0	<ul style="list-style-type: none"> <li>Added support information for Intel Cyclone 10 GX and LP devices.</li> <li>Updated label for active parallel configuration scheme to "Cyclone IV E devices only" in Figure: <i>High-Level Block Diagram of Remote System Upgrade</i>.</li> <li>Updated details for page mode feature and factory configuration components in Table: <i>Remote System Configuration Components in Cyclone IV and Intel Cyclone 10 LP Devices</i> so that AP configuration only applies to Cyclone IV E devices.</li> <li>Updated Watchdog Timer details by adding "left-most or most-significant bits" to enhance clarity of "upper 12 bits" in Table: <i>Remote System Configuration Components in Intel Arria 10 and Intel Cyclone 10 GX Devices</i>, Table: <i>Remote System Configuration Components in Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices</i>, and Table: <i>Remote System Configuration Components in Cyclone IV and Intel Cyclone 10 LP Devices</i>.</li> <li>Added width of 29 and comments to Watchdog Timeout Value in Table: <i>Parameter Type and Corresponding Parameter Bit Width Mapping for Intel Arria 10 and Intel Cyclone 10 GX Devices</i> and Table: <i>Parameter Type and Corresponding Parameter Bit Width Mapping for Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices</i>.</li> <li>Updated Watchdog Timeout Value comments by adding "left-most or most-significant bits" to enhance clarity of "upper 12 bits" and statements on bit mapping between <code>data_in</code> and the 12-bit watchdog timeout value in Table: <i>Parameter Type and Corresponding Parameter Bit Width Mapping for Cyclone IV and Intel Cyclone 10 LP Devices</i>.</li> </ul>
2019.01.09	18.0	<ul style="list-style-type: none"> <li>Updated the table description in Table: <i>Remote Update Intel FPGA IP Core Avalon-MM Register Map for Cyclone IV Devices</i>.</li> </ul>
2018.11.26	18.0	<ul style="list-style-type: none"> <li>Renamed the document as <i>Remote Update Intel FPGA IP User Guide</i>.</li> <li>Updated Figure: <i>Typical Remote System Upgrade Process</i>.</li> <li>Updated the note under Figure: <i>Typical Remote System Upgrade Process</i>.</li> <li>Added a note to <i>Operations Example Waveforms</i>.</li> <li>Updated Table: <i>Remote Update Intel FPGA IP Core Parameters for Intel Arria 10 Devices</i> to update the description for Enable reconfig POF checking.</li> <li>Rebranded as Intel.</li> </ul>



**Table 23. Document Revision History**

Date	Version	Changes
April 2017	2017.04.10	<ul style="list-style-type: none"> <li>Updated <i>Transitions Between Factory and Application Configurations in Remote Update Mode</i> figure.</li> <li>Removed redundant statement in <i>Avalon-MM in Altera Remote Update IP Core</i>.</li> <li>Updated note in <i>Remote Update Operation</i> table.</li> </ul>
October 2016	2016.10.31	<ul style="list-style-type: none"> <li>Updated <i>Parameters</i> table for Arria 10 devices and Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V Devices.</li> <li>Added Add support for Avalon Interface parameter in <i>Parameter Settings</i> tables.</li> </ul>
June 2016	2016.06.01	<ul style="list-style-type: none"> <li>Updated <b>Convert Programming File</b> settings in <i>Arria 10 Remote Update Design Example</i>.</li> <li>Removed references to Local update mode features.</li> </ul>
May 2016	2016.05.02	<ul style="list-style-type: none"> <li>Added recommended <math>F_{MAX}</math> for Altera Remote Update IP core.</li> <li>Added missing title for <i>Cyclone IV Devices Remote Update Operation</i> table.</li> <li>Added note on possible PCIe timing violation when using direct-to-application.</li> <li>Added note on recommending user to set a fixed configuration image start address.</li> <li>Added <i>Enabling Remote System Upgrade</i> subsection.</li> </ul>
December 2015	2015.12.14	Updated RU_RECONFIG_TRIGGER_CONDITIONS description for Cyclone V Avalon-MM interface register.
November 2015	2015.11.17	<ul style="list-style-type: none"> <li>Updated Page description in Convert Programming Files setting from SOFT DATA PAGE_0 to SOFT DATA PAGE_1.</li> <li>Added high level configuration scheme block diagram for remote system upgrade.</li> <li>Added <i>Flash Memory Programming Files</i>.</li> <li>Added design example for Arria 10 devices.</li> </ul>
June 2015	2015.06.15	<ul style="list-style-type: none"> <li>Added Avalon-MM interface support for Quartus II Software version 15.0.</li> <li>Added table for Avalon-MM interface Control Status Registers and register map definitions.</li> <li>Added steps for read and write operation for Avalon-MM interface.</li> <li>Added example waveforms for read, write, reset timer, ct1_nupdt, and reconfiguration operation for Arria 10 devices.</li> <li>Updated the Device Support section to include information on device families that will be phased out from Quartus II software version 15.0.</li> </ul>
April 2015	2015.04.07	Added design example link.
January 2015	2015.01.23	Updated Arria 10 remote system configuration mode flow diagram.
December 2014	2014.12.15	<ul style="list-style-type: none"> <li>Updated POF checking feature description and invalid configuration image examples.</li> <li>Added Arria 10 device support with descriptions, ports and parameters.</li> <li>Replaced outdated design examples with a current application design example.</li> </ul>
<b>continued...</b>		



Date	Version	Changes
June 2014	2014.06.30	<ul style="list-style-type: none"> <li>Replaced MegaWizard Plug-In Manager information with IP Catalog.</li> <li>Added standard information about upgrading IP cores.</li> <li>Added standard installation and licensing information.</li> <li>Removed outdated device support level information. IP core device support is now available in IP Catalog and parameter editor.</li> <li>Added a note to recommend users to use 20-MHz <math>f_{MAX}</math> for all devices.</li> </ul>
May 2014	2014.05.13	<ul style="list-style-type: none"> <li>Updated the Device Support section to include information on device families that will be phased out from Quartus II software version 13.1 and Quartus II software version 14.0.</li> <li>Rearranged content for remote system configuration modes, remote system configuration components, parameter settings, ports, param for each group of devices. Refer to Device Support section for more information.</li> </ul>
August 2013	2013.08.16	<p>Added Cyclone IV devices support for Active Serial Remote Configuration Mode in Parameters, Output Ports, and Active Serial Remote Configuration Mode.</p>
July 2013	2013.07.12	<ul style="list-style-type: none"> <li>Updated Watchdog Timer to include the watchdog <code>reset_time</code> requirement to ensure the validity of the application configuration. Listed the supported devices for the watchdog timer feature.</li> <li>Updated Device Support section.</li> <li>Added Active Serial Remote Configuration Mode to clarify that the active serial configuration mode is a subset of the remote configuration mode. Also clarified that this mode is only available for EPCS devices.</li> <li>Added a link to the Configuration Handbook in the Remote System Configuration Modes.</li> <li>Updated Remote Configuration Mode to add that Cyclone IV E devices support AP configuration scheme and included a link to the Configuration and Remote System Upgrades in Cyclone IV Devices chapter.</li> <li>Updated Remote System Configuration Components to clarify that the local configuration mode does not support the user watchdog timer feature.</li> <li>Included a cross-reference to the Input Port in Page Mode Feature.</li> <li>Updated Parameters to update values and supported devices of the GUI parameter settings.</li> <li>Updated Factory Configuration to clarify that the default factory configuration address does not apply for Cyclone V devices.</li> </ul>
July 2013	2013.07.12	<ul style="list-style-type: none"> <li>Added Cyclone III and Cyclone IV Devices Remote Update Operation.</li> <li>Updated Input Ports to include Arria V and Cyclone V support for <code>data_in[ ]</code> port.</li> <li>Added Param[ ] as a standalone section.</li> <li>Updated Parameter Type and Corresponding Parameter Bit Width Mapping to include Arria V and Cyclone V support for Reconfiguration trigger conditions parameter. Also updated Page Select parameter to include information for Arria V, Cyclone V, and Stratix V devices.</li> <li>Updated Parameter Type and Corresponding Parameter Bit Width Mapping to update the Configuration Mode (AnF) information.</li> <li>Updated Input Ports to add a link to the Configuration, Design Security, and Remote Upgrades in the Cyclone III Device Family chapter.</li> </ul>

*continued...*



Date	Version	Changes
		<ul style="list-style-type: none"><li>Updated Input Ports to clarify that a falling edge of the <code>reset_timer</code> signal triggers a reset of the user watchdog timer.</li><li>Updated Output Ports to add Arria II, Arria V, Cyclone V, Stratix IV, and Stratix V device support for 24-bit bus for <code>data_out[ ]</code> port.</li><li>Added Knowledge Base section.</li><li>Added Simulation to clarify that simulation capability are for Arria GX, Stratix, and Stratix II devices only.</li></ul>
February 2012	3.0	Add Cyclone IV support for <code>param[ ]</code> parameter.
August 2010	2.5	Updated for Quartus II software v10.0, including: <ul style="list-style-type: none"><li>Updated the Device Family Support section.</li><li>Add Parameters table to Specifications chapter.</li><li>Added new parameters and ports to Specifications chapter.</li><li>Added new prototypes and declarations sections to Specifications chapter.</li><li>Updated design example figures and steps.</li></ul>
April 2009	2.4	Updated for Quartus II software v9.0, including: <ul style="list-style-type: none"><li>Updated the section.</li><li>Added the Maximum Clock Frequency (<math>f_{MAX}</math>) for the supported devices.</li><li>Updated ports and parameter tables.</li></ul>
May 2007	2.3	Updated for Quartus II software v7.1, including: <ul style="list-style-type: none"><li>Updated to include support for Arria GX devices.</li><li>Updated to include Cyclone III device information.</li><li>Added Referenced Documents section.</li></ul>
March 2007	2.2	Updated Chapter 1 to include Cyclone III support.
December 2006	2.1	Updated Chapter 1 to include Stratix III support.
September 2006	2.0	General update for Quartus II software version 6.0, including screenshots; added ModelSim®-Altera simulation tool section to Chapter 3.
March 2005	1.0	Initial release.